

ottobock.

The Ventus.

Four testers –
one wheelchair for active use.

Quality for life



ONE WORLD WHEELCHAIR
VENTUS – THE WHEELCHAIR FOR ACTIVE USE

Information for Enduser

Ventus personalised: To customise the Ventus, you have a choice of 13 attractive coatings to turn the wheelchair for all into your personal Ventus.


The Ventus – Facts and Figures


Basic Technical Data

Load capacity	140 kg
Weight	approx. 11 kg

Transport weights

Frame	approx. 8 kg
Rear wheel	from 1.25 kg





Candy red

Sparkle light orange

Dormant vinho sparkle

Sparkle granny smith

Dormant marine blue

Dormant sky blue

Ice blue

White pearl

Brilliant silver

Anthracite metallic

Deep black matte

Clear reptile glossy

Deep black glossy

German engineering by Ottobock, even down to the details:

Adjusting the centre of gravity, front and rear seat height and back angle is straightforward with the Ventus. For optimised transportation of the Ventus, it was designed with removable rear wheels and a backrest that folds forward. Customising the seat height, front frame, tip-assist, anti-tipper, frame pads, caster wheels and various rear wheel sizes are complemented by add-on components, footplates or stirrups and a choice of 13 different frame colours.



All information and tests under:
ottobock.co.uk/ventus