

ottobock.

Zenit R

Pure efficiency



Quality for life

The Zenit R: stable, flexible, efficient

Thanks to the use of select materials and components optimised for low weight, our new high-end product in the rigid frame segment offers especially efficient force transmission. A wheelchair for active users with a sporty driving style who value a good design. The Zenit R is available in aluminium and carbon and in a permanently welded CLT version.

Benefits at a glance

- Stylish, configurable high-end rigid frame wheelchair
- Made of high-quality materials optimised for low weight
- Excellent stability and ease of operation
- Flexibly adjustable or permanently welded according to customer preferences
- Optional style package with coloured drive wheel rims and caster forks in the colours sparkle light orange, marine blue, candy red and sparkle granny-smith





Zenit R CLT

Thanks to permanently welded components, the CLT version features a low weight and high stability, maximising the efficiency of force transmission and dynamics while driving.

Highlights

- Permanently welded components:
 - Back support ¹
 - Drive wheel adapter (centre of gravity adjustment by ±12 mm possible) ²
 - Brake connection ³
 - Caster wheel connection ⁴
 - Lower leg length (optionally adjustable)
 - Side panel mountings




Zenit R aluminium / carbon

Numerous adjustment possibilities make the Zenit R extremely flexible and permit an individual fitting. Its optimised rigid frame characteristics provide a new quality of mobility.

Highlights

- Centre of gravity adjustment down to the millimetre ⁵
- Adjustable seat height and lower leg length
- Adjustable back support angle ⁶
- Smooth, patented caster wheel attachment ⁷
- Folding back support with adjustable back upholstery and folding push handles ⁸

RAL colours (powder coating)



White RAL 9016



Jet black RAL 9005



Jet black matte (texture)

Effect colours (powder coating)



Sparkle light orange



Candy red



Vinho sparkle



Ice blue



Sky blue



Marine blue



Sparkle granny-smith



Brilliant silver



Anthracite metallic



Shimano matte

Anodised colours*



Gold, matte anodised



Orange, matte anodised



Red, matte anodised



Violet, matte anodised



Blue, matte anodised



Green, matte anodised



Anthracite, matte anodised



Black, matte anodised

Technical data

	CLT	Aluminium/carbon
Overall length	640 – 1,040 mm	640 – 1,040 mm
Overall width	495 – 710 mm	495 – 710 mm
Overall height	620 – 1,050 mm	620 – 1,050 mm
Seat width	320 – 460 mm	320 – 460 mm
Seat depth	360 – 500 mm	360 – 500 mm
Front seat height	380 – 540 mm	380 – 540 mm
Rear seat height	370 – 500 mm	370 – 500 mm
Back support height	250 – 500 mm	250 – 500 mm
Lower leg length	280 – 510 mm	280 – 510 mm
Anterior frame angle	75° / 85°	75° / 85°
Max. load	100 kg	120 kg
Weight from approx.	7.4 kg	8.5 kg
Transport weight (without drive wheels) from approx.	4.9 kg	6.0 kg

Material



Aluminium



Carbon*

* Not available for Zenit R CLT version



Otto Bock Mobility Solutions GmbH
Lindenstraße 13 · 07426 Königsee-Rottenbach, Germany
www.ottobock.com