

Multiple Positioning and Reduced Shear

The BetterLiving Community Bed is incredibly practical yet versatile to suit a range of home care needs. Operates as a four part, profiling bed with electric high-low height adjustment, back rest, knee break and Trendelenburg tilt – to deliver multiple positioning options to suit every need.

The Auto Contour feature simultaneously raises both the head and knees, which combined with auto-regressive backrest helps prevent painful skin shearing.

Quality Design

Powered by a high quality Linak electric drive and constructed from durable powder coated steel. The frame includes a 200mm Length Extension and removable mattress retainers.


Designed with built-in storage features for the Length Extension and Transport Bracket which minimises misplacement when not in use. Fitted with four high quality individually lockable castors for easy maneuverability.

Easy, Safe Operation

Lightweight, water resistant hand controller with soft touch buttons for raising, lowering and positioning, including one touch auto contouring.

Convenient inbuilt hanging hook for easy storage and access. Features lockout function, ideal for patients incapable of operating the bed due to cognitive impairment.

Each function can be individually locked out using the key, which is required to unlock and reactivate functionality.



King Single Community Bed

CODE	BE2005	
SAFE WORKING LOAD	220 kg	
MAXIMUM PATIENT WEIGHT	180 kg	
WARRANTY	5 year bed frame / 2 year electrical / 1 year castor	
FRAME MATERIAL	Powder Coated Steel	
DIMENSIONS (MM)	LENGTH	2190 to 2370 (Extended)
	WIDTH	1220
HEIGHT RANGE	330 to 730 mm	
MATTRESS SIZE(MM)	LENGTH	1960
RECOMMENDED	WIDTH	1050
	HEIGHT	170 maximum
BED FRAME WEIGHT (KG)*	84 kg	
BACKREST ANGLE	0 to 70°	
KNEE BREAK ANGLE	0 to 32° (4 Section Bed)	
TRENDELENBURG / REVERSE TILT	0 to 10°	
COMPLIANCES	IEC 60601-1: 2005+A1: 2012 [Medical Electrical Equipment Part 1]	
	IEC 60601-2-52: 2012 [Medical Beds Safety and Essential Performance]	
	IEC 61000-3: 2008 [EMC Electromagnetic compatibility]	
	IEC 61000-4: 2009 [EMC Electromagnetic compatibility]	
	CISPR 11: 2004+A2: 2006, Group 1 Class B [EMC Electromagnetic compatibility]	

ACCESSORIES



BE6003
Side Rail, Three Quarter Length (Sold as Pair)



BE8003
IV Pole



BE7003
Self Help Pole



*Shown in storage mode with optional transport bracket BE4017



BE4017
Transport Bracket (Sold as Pair)



BE9002
Grab Bar